Attorney Docket: 03-0928/2935P Page 2 of 10

Amendments to the Claims:

This listing of claims will replace all prior version, and listings, of claims in the application.

Listing of Claims:

- 1 (currently amended) A method for obtaining an optimal reflectivity value for complex multilayer stacks, comprising:
 - (a) generating a model of a multilayer stack and parameterizing each layer by a thickness and an index of refraction;
 - (b) allowing a user to input values for the parameters and to designate a plurality of the parameters as independent variables;
 - (c) calculating an extrema for a cost function of reflectivity *R* using the input parameter values;
 - (d) calculating sensitivity values S for the extrema points; and
 - (e) obtaining an the optimal reflectivity value by calculating a cost function R + S using the plurality of independent variables at once.
- 2 (original) The method of claim 1 wherein step (e) further includes the step of: calculating the cost function as $R + \alpha \cdot S$, where α is a weighted parameter.
- 3 (original) The method of claim 1 wherein step (a) further includes the step of: providing the multilayer stack with N layers, where a top layer comprises a top ambient resist layer followed by one or more layers of materials that are patterned over a substrate layer.
- 4 (original) The method of claim 2 wherein step (a) further includes the step of: providing the index of refraction to include a real and an imaginary number.

Attorney Docket: 03-0928/2935P Page 3 of 10

5 (original) The method of claim 4 wherein step (a) further includes the step of: providing

a j^{th} layer with thickness d_{j} , and a complex index of refraction $\mathbf{n}_{j} = \mathbf{n}_{j} - \mathbf{i} \ \mathbf{k}_{j}$.

6 (original) The method of claim 5 wherein step (a) further includes the step of: providing

the ambient and substrate with complex indexes of refraction: $\mathbf{n}_0 = \mathbf{n}_0 - i \ k_0$ and $\mathbf{n}_{N+1} = \mathbf{n}_{N+1}$

 $-i k_{N+1}$, respectively.

7 (original) The method of claim 6 wherein step (a) further includes the step of: defining

reflectivity at an interface between two layers as a cost function, wherein the reflectivity R_i

at a j^{th} interface (between the $(j-1)^{th}$ and j^{th} layers) is a function of 3(N-j+1)+4

parameters, which are ; n_{j-1} , n_j ... n_N , n_{N+1} ; k_{j-1} , k_j ... k_N , k_{N+1} ; d_j , d_{j+1} ... d_N .

8 (currently amended) The method of claim 1 wherein step (b) further includes the step

of: allowing the user to enter values for the thickness and the complex indexes of refraction

(n and k) for each layer, including a current starting point, a minimum values, and a

maximum value for the thickness and the complex indexes of refraction for each layer.

9 (currently amended) The method of claim 8 wherein step (b) further includes the step

of: allowing the user to choose which of the parameters will be independent variables and

to-enter step values for the parameters designated as independent variables, wherein

those parameters that are not designated as varying independent variables are fixed.

10 (original) The method of claim 1 wherein step (e) further includes the step of: defining

the sensitivity as S = (Max R - Min R) for all varied parameters.

Attorney Docket: 03-0928/2935P Page 4 of 10

11 (currently amended) A computer-readable medium containing program instructions for

obtaining an optimal reflectivity value for complex multilayer stacks, the instructions for:

(a) generating a model of a multilayer stack and parameterizing each layer by a

thickness and an index of refraction;

(b) allowing a user to input values for the parameters and to designate a plurality

of parameters as independent variables;

(c) calculating an extrema for a cost function of reflectivity R using the input

parameter values;

(d) calculating sensitivity values S for the extrema points; and

(e) obtaining an the optimal reflectivity value by calculating a cost function R + S

using the plurality of independent variables at once.

12 (original) The computer-readable medium of claim 11 wherein instruction (e) further

includes the instruction of: calculating the cost function as $R + \alpha \cdot S$, where α is a weighted

parameter.

13 (original) The computer-readable medium of claim 11 wherein instruction (a) further

includes the instruction of: providing the multilayer stack with N layers, where a top layer

comprises a top ambient resist layer followed by one or more layers of materials that are

patterned over a substrate layer.

14 (original) The computer-readable medium of claim 13 wherein instruction (a) further

includes the instruction of: providing the index of refraction to include a real and an

imaginary number.

15 (original) The computer-readable medium of claim 14 wherein instruction (a) further includes the instruction of: providing a j^{th} layer with thickness d_j , and a complex index of refraction $\mathbf{n}_i = \mathbf{n}_i - \mathbf{i} \ \mathbf{k}_i$.

16 (original) The computer-readable medium of claim 15 wherein instruction (a) further includes the instruction of: providing the ambient and substrate with complex indexes of refraction: $\mathbf{n}_0 = \mathbf{n}_0 - \mathbf{i} \ \mathbf{k}_0$ and $\mathbf{n}_{N+1} = \mathbf{n}_{N+1} - \mathbf{i} \ \mathbf{k}_{N+1}$, respectively.

17 (original) The computer-readable medium of claim 16 wherein instruction (a) further includes the instruction of: defining reflectivity at an interface between two layers as a cost function, wherein the reflectivity R_j at a f^{th} interface (between the $(j-1)^{th}$ and f^{th} layers) is a function of 3(N-j+1)+4 parameters, which are ; n_{j-1} , n_j ... n_N , n_{N+1} ; k_{j-1} , k_j ... k_N , k_{N+1} ; d_j , d_{j+1} ... d_N .

18 (currently amended) The computer-readable medium of claim 11 wherein instruction (b) further includes the instruction of: allowing the user to enter values for the thickness and the complex indexes of refraction (n and k) for each layer, including a current starting point, a minimum values, and a maximum value for the thickness and the complex indexes of refraction for each layer.

19 (currently amended) The computer-readable medium of claim 18 wherein instruction (b) further includes the instruction of: allowing the user to choose which of the parameters will be independent variables and to enter instruction step values for the parameters designated as independent variables, wherein those parameters that are not designated as varying-independent variables are fixed.

Attorney Docket: 03-0928/2935P

Page 6 of 10

20 (original) The computer-readable medium of claim 11 wherein instruction (e) further includes the instruction of: defining the sensitivity as S = (Max R - Min R) for all varied parameters.